

Vended **50- and 75-lb**  
**Tumble Dryers**



## VENDED 50- AND 75-LB TUMBLE DRYERS



At Huebsch, our priority is making commercial laundry equipment that's perfectly aligned with your business philosophy. In other words, because you believe that profit is the inevitable result of superior efficiency, durability, simplicity and service, that's exactly what we deliver...

---

### EXTRA CAPACITY AND HIGH EFFICIENCY

To keep up with the incredible popularity of large-capacity washer-extractors, owners must have dryers that can handle the workload—and Huebsch 50- and 75-lb tumble dryers are more than up to the task. But they're not just big; they're efficient, thanks to a high-performance heater box which creates a concentrated airflow pattern that keeps utility costs down and speeds customers through their drying cycle.

---

### EASY TO USE, EASY TO CLEAN - AND EASY ON THE EYES

Extra-large 26.89" door openings allow quick loading and unloading, which means your laundry can serve more customers. A self-cleaning lint screen saves your time. And, last but not least, optional stainless steel fronts and cylinders give your laundry a polished look that sets it apart from the competition.

---

### UNMATCHED DURABILITY

Built with premium materials and tested to meet the demands of the harshest environments, these commercial-grade machines deliver reliable, efficient operation load after load—and they're backed by Huebsch's standard three-year warranty.\*



\*Parts only, labor not included. See Huebsch Warranty Bond for specifics.

## GALAXY™ 600 CONTROLS

Integrating Galaxy 600 controls allows for intuitive operation and simple programming throughout your store with revenue-boosting options. Better yet, it means your vended 50-lb and 75-lb tumble dryers are Huebsch Command™-compatible!



Cityscape Machine Interface



Slate Machine Interface



Citron Machine Interface

## HUEBSCH COMMAND™

Laundromat data and analytics that are custom-made for the way you operate

Huebsch Command (only available with Galaxy™ 600 controls) lets you use all features of Galaxy controls—and now you can access them remotely, from anywhere in the world with an internet connection!



MULTILEVEL VEND  
PRICING CHANGES



ADVANCED  
PERFORMANCE DATA



REMOTE START AND  
SYSTEM MONITORING



SET TIME-OF-DAY/  
DAY-OF-WEEK PRICING



SERVICE ALERTS VIA  
EMAIL OR TEXT



CONFIGURE MACHINES  
FROM THE CLOUD



TURNS PER DAY



100% SUPPORTED  
BY HUEBSCH

## Vended 50- and 75-lb Tumble Dryers specifications

Models		HTO50	HTO75
<b>Control Options</b>		Galaxy™ 600, Basic Electronic	Galaxy™ 600, Basic Electronic
<b>Capacity – lb (kg)</b>		50 (23)	75 (34)
<b>Width – in (mm)</b>		38.5 (980)	38.5 (980)
<b>Depth – in (mm)</b>		46.8 (1190)	53 (1350)
<b>Height – in (mm)</b>		77.3 (1960)	77.3 (1960)
<b>Cylinder Depth – in (mm)</b>		30 (762)	36 (914)
<b>Cylinder Diameter – in (mm)</b>		37 (940)	37 (940)
<b>Cylinder Volume – cu ft (liters)</b>		18.7 (530)	22.4 (634)
<b>Door Opening Size – in (mm)</b>		26.9 (683)	2.69 (683)
<b>Airflow – cfm (liters/sec)</b>		700	800
<b>Electrical Data</b>			
<b>Gas Models – Per Packet</b>		130,000 Btu/hr	165,000 Btu/hr
<b>Steam Models – Per Packet</b>		113,600 Btu/hr	133,900 Btu/hr
<b>Electric Models</b>		30kW	36kW
<b>Electrical Specs - amps</b>			
<b>Gas &amp; Steam</b>			
<b>B</b>	<b>100-120V/50/60/1</b>	9	12
<b>X</b>	<b>200-240V/50/60/1/3</b>	6	7
<b>N</b>	<b>440-480V/50/60/3</b>	3	3
<b>P</b>	<b>380-415V/50/60/3</b>	3	3
<b>Electric</b>			
<b>E</b>	<b>230-240V/50/60/1</b>	91	N/A
<b>F</b>	<b>200-208V/50/60/3</b>	87	104
<b>G</b>	<b>230-240V/50/60/3</b>	75	90
<b>H</b>	<b>380V/50/60/3</b>	47	56
<b>J</b>	<b>400-415V/50/60/3</b>	43	52
<b>K</b>	<b>440V/50/60/3</b>	41	49
<b>L</b>	<b>460-480V/50/60/3</b>	38	45
<b>Plumbing Connections – Steam – in (mm)</b>		0.75	0.75
<b>Shipping Dimensions</b>			
<b>Approx. – in (mm)</b>			
<b>Width</b>		41.5 (1050)	41.5 (1050)
<b>Depth</b>		50 (1270)	56 (1420)
<b>Height</b>		Gas & Electric: 81 (2060) Steam: 83.5 (2120)	Gas & Electric: 81 (2060) Steam: 83.5 (2120)
<b>Net Weight – lb (kg)</b>			
<b>Gas</b>		650 (295)	680 (310)
<b>Electric</b>		690 (315)	710 (320)
<b>Steam</b>		680 (310)	720 (325)
<b>Shipping Weight – lb (kg)</b>			
<b>Gas</b>		700 (320)	730 (330)
<b>Electric</b>		740 (335)	760 (340)
<b>Steam</b>		730 (330)	770 (350)
<b>Agency Approvals</b>		CSA	CSA

Tumble dryer models are made to suit a variety of electrical service characteristics. See your Huebsch distributor for specifications. For further details on installation, refer to Installation, Operation and Maintenance instructions supplied with the tumble dryer. USA and Canada models are certified by CSA International.

For the most accurate information, the installation guide should be used for all design and construction purposes. Due to continuous product improvements, design and specifications subject to change without notice. The quality management system of Alliance Laundry Systems' Ripon facility has been registered to ISO 9001:2000.